REPORT DOCUMENTATION PAGE

Form Approved OMB No. 0704-0188

1. REPORT DATE *(DD-MM-YYYY)*	2. REPORT TYPE	3. DATES COVERED *(From - To)*
	Technical ~~Paper~~ ~~Abstract~~	

4. TITLE AND SUBTITLE

5a. CONTRACT NUMBER

5b. GRANT NUMBER

5c. PROGRAM ELEMENT NUMBER

6. AUTHOR(S)

5d. PROJECT NUMBER

5e. TASK NUMBER

5f. WORK UNIT NUMBER

7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES)

CIT / Advanced Projects Research, Inc.

8. PERFORMING ORGANIZATION REPORT

9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES)

Air Force Research Laboratory (AFMC)
AFRL/PRS
5 Pollux Drive
Edwards AFB CA 93524-7048

10. SPONSOR/MONITOR'S ACRONYM(S)

11. SPONSOR/MONITOR'S NUMBER(S)

12. DISTRIBUTION / AVAILABILITY STATEMENT

Approved for public release; distribution unlimited.

13. SUPPLEMENTARY NOTES

14. ABSTRACT

15. SUBJECT TERMS

16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT	18. NUMBER OF PAGES	19a. NAME OF RESPONSIBLE PERSON
a. REPORT	b. ABSTRACT	c. THIS PAGE			Leilani Richardson
Unclassified	Unclassified	Unclassified	(A)		19b. TELEPHONE NUMBER *(include area code)* (661) 275-5015

1 item enclosed

300500SH

MEMORANDUM FOR PRS (In-House Publication)

FROM: PROI (STINFO) 21 Nov 2001

SUBJECT: Authorization for Release of Technical Information, Control Number: **AFRL-PR-ED-AB-2001-233** Cooper & Shepherd (CIT); T.H. Sobota and K.C. Moore (APR, Inc.), "Thermal and Catalytic Cracking of JP-10 for Pulse Detonation Engine Applications" *ABSTRACT ONLY*

AIAA/ASME/SAE/ASEE JPC **(Statement A)**
(Indianapolis, IN, 7-10 July 2002) (Deadline: extended)

1. This request has been reviewed by the Foreign Disclosure Office for: a.) appropriateness of distribution statement, b.) military/national critical technology, c.) export controls or distribution restrictions, d.) appropriateness for release to a foreign nation, and e.) technical sensitivity and/or economic sensitivity.
Comments:_____

Signature _____ Date _____

2. This request has been reviewed by the Public Affairs Office for: a.) appropriateness for public release and/or b) possible higher headquarters review.
Comments: _____

Signature _____ Date _____

3. This request has been reviewed by the STINFO for: a.) changes if approved as amended, b) appropriateness of references, if applicable; and c.) format and completion of meeting clearance form if required
Comments:_____

Signature _____ Date _____

4. This request has been reviewed by PR for: a.) technical accuracy, b.) appropriateness for audience, c.) appropriateness of distribution statement, d.) technical sensitivity and economic sensitivity, e.) military/ national critical technology, and f.) data rights and patentability
Comments:_____

APPROVED/APPROVED AS AMENDED/DISAPPROVED

_____

PHILIP A. KESSEL Date
Technical Advisor
Space and Missile Propulsion Division

Thermal and Catalytic Cracking of JP-10 for Pulse Detonation Engine Applications

M.A. Cooper and J.E. Shepherd
Graduate Aeronautical Laboratories
California Institute of Technology
Pasadena, CA, USA

T.H. Sobota and K.C. Moore
Advanced Projects Research, Incorporated
La Verne, CA, USA
November 6, 2001

Practical air-breathing pulse-detonation engines (PDE) will be based on storable liquid hydrocarbon fuels such as JP-10. However, such fuels are not optimal for PDE operation due to the high energy input required for direct initiation of a detonation and the long deflagration-to-detonation transition times associated with low-energy initiators. These effects increase cycle time and reduce time-averaged thrust, resulting in a significant loss in performance. In an effort to utilize such conventional liquid fuels and still maintain the performance of the lighter and more sensitive hydrocarbon fuels, various fuel modification schemes such as thermal or catalytic cracking have been investigated.

The results of previous catalytic cracking experiments have quantified the cooling capabilities, i.e., using endothermic reactions to absorb energy generated by the propulsion system. The focus was on selecting liquid fuels and reactor operating conditions that produce desirable reaction products with high heat sink capabilities. In the present study, we examined the combustion properties of JP-10 that have been modified by thermal and catalytic cracking. The goals of our program are to understand the implications for pulse-detonation engine performance when operating with modified fuels.

We have developed a bench-top reactor system that can be used to process liquid fuel using either thermal or catalytic schemes. The system has the capabilities to vaporize liquid fuel at a precise flow rate while maintaining the flow path at temperatures up to 200°C and pressures up to 13.6 atm (200 psi) for extended periods of time. The reactor section can be heated up to 500°C and contains a packed-bed of zeolite catalyst. The reaction products can be analyzed on line and also stored in a reservoir for future use in combustion experiments. An Agilent 6890 Gas Chromatograph with an HP-5 capillary column and flame ionization detector, connected to the output of the reactor, is used to speciate the reaction products. Additional characterization of the products will involve direct testing of the reaction products in a PDE simulator, measurements in detonation tubes, and also in combustion vessels. Properties of interest include detonation and flame speeds, single-cycle impulse, and high-speed combustion behavior.